

The Complete Product Line for Wood Finishing and Decorative Painting



German Engineering

SPRAY GUNS

CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY

ACCESSORIES

DAN-AM PRODUCTS



Perfect Finishes

SATAjet 1000 B LIGNUM 3 – the all around spray gun

The SATAjet 1000 B LIGNUM 3 is a must for every carpenter. Due to its comprehensive range of available nozzle sizes and its versatile selection of accessories, such as pressurized and agitator cups, a host of many different spray media can be perfectly applied: from low-viscosity wood stains and clearcoats to glues and other thixotropic materials. With extensions available in various executions, even areas of difficult access can be easily coated.


PRODUCT BENEFITS

Perfectly suitable for typical applications in the wood finishing industry – in special wood optics.

- Robust spray gun with anodized spray gun body, lightweight and optimized ergonomics
- Fully equipped with round/flat fan control and material flow control as well as air micrometer
- Low cleaning and maintenance effort
- Special air passages on the air cap horns prevent material accumulations caused by overspray
- Large and smooth material passages for improved material flow – makes the paint job safe and minimizes cleaning efforts
- Extensions for SATAjet 1000 B RP upon request



Note: The model SATAjet 1000 B LIGNUM 3 is technically identical to the SATAjet 1000 B. The sophisticated refining process of the spray gun surface may entail slight color shade differences. Color changes, e.g. by the influence of light, are also possible.



SATAjet® 1000 B RP® LIGNUM 3

SATAjet® 1000 B HVLV LIGNUM 3



SATAjet® 1000 B RP®



For Universal Coatings

The SATAjet 1000 B is the multi application choice amongst gravity flow cup spray guns for craft and industry. Due to the wide range of nozzle sizes and accessories available, such as pressurized and agitator cups, various materials can be perfectly applied: low-viscosity stains, clear coats, texture finishes and glazes as well as spray-on glues and other thixotropic products.

- For the application of a wide range of materials, from primer and paint to glue and separating agents.
- Universally adjustable spray pattern with fine atomization for a high work speed
- Large range of accessories available, including extensions, slit nozzles and nozzle set-ups for glue application.

SATA® adam 2™



To upgrade non-digital spray guns to "DIGITAL" – the version for retrofitting the **SATAjet 5000 B** and **SATAjet X 5500 Standard** without integrated digital pressure gauge. Ensures correct setting and display of the gun inlet pressure for highest reproducibility.

Chrome
Order No. 211557



Black
Order No. 1031715

SATA® adam®/adam 2 mini™

Turns a non-digital spray gun into a "DIGITAL" - for retro-fitting SATA spray guns without integrated digital pressure gauge. Ensures correct setting and display of the gun inlet pressure for highest color match precision.



SATA adam 2 with dock and display

Fits SATA standard size spray guns, except Jet 5000 series
Order No. 160853



SATA adam 2 black complete

Fits SATA standard size spray guns, excluding minijet and jet 5000 series
Order No. 1031690

SATA adam 2 U with dock and display
Order No. 195222

SATA adam 2 U black with dock and display
Order No. 1031731

SATA adam 2 mini with dock and display
Order No. 160887

SATA adam 2 black mini with dock and display
Order No. 1031674



Top coat spray guns for perfect high gloss finishes

Wood finishers achieve high gloss surfaces with SATA high performance spray guns. **Their nozzle sets have been designed to allow perfect application of modern stains, glazes, single-stage materials and clearcoats.** Due to a special SATA "Tuning" during the final inspection, they meet highest demands in terms of **color match, brilliance, color effects, material distribution** and **gloss level.**


- SATA high performance spray guns are made of forged aluminum and finished with a high-quality chrome plating
- With their fluid tips and paint needles being made of stainless steel, they can be used for the application of both solvent-based and waterborne paints
- Round/flat fan control and air micrometer are standard features.
- The gun handle as well as all control elements are ergonomically formed for perfect gun control
- Robust in their design, SATA spray guns are low in weight
- The spray guns are easy to clean and maintain, due to self-adjusting seals, paint needles protected from paint mist, sturdy air cap threads and short material passages
- The inlet pressure can be precisely adjusted and controlled either with an integrated or a retrofit electronic pressure gauge

SATAjet® 5000 B



Unlimited versatility

- Optimized nozzle concept for highest possible versatility
- Ergonomically formed gun handle
- Pearlodized™ improves corrosion resistance as well as cleaning and maintenance
- Easy to operate control elements
- Safely positioned trigger sleeve – for easy, safe and quick insertion of the paint needle
- Swivel joint with new high performance seal
- Identical, compact gun handle shape
- Optimized round/flat fan control w/half a turn only
- RP:10.2 cfm at 29 psi; HVLP: 15.2 cfm at 29 psi



SATAjet® 1500 B SoLV

For High-end Wood Coatings

The SATAjet 1500 B provides fine finishes with cost saving transfer efficiencies. This spray gun is ideal for high solids urethane topcoats, as well as ultra-high end metallic or pearl finishes, allowing you to achieve a smooth, automotive type finish with ease.

- Designed for Full System Application: solvent-based basecoats, either **Low VOC** or **National Rule** as well as sealer and **clearcoat**
- Nice-sized, even spray pattern
- Wide air pressure range from 7 – 35 psi. HVLP compliant 26 psi, RP compliant 29 psi
- Fast working speed
- Excellent value spray gun





SATAjet® 1000 K



The lightweight universal pressure-fed gun for large surface applications

- Allows connection to all sorts of material supply systems, such as pressure pots, double diaphragm pumps and central paint supply systems
- Suitable for the application of various materials – waterborne or solvent-based
- Sturdy, easy clean surface
- Special air flow at the air cap horns reduces overspray settling at the air cap
- **Optional:** fluid tip and paint needle with lifetime prolonging surface
- RP: 14.5 cfm at 35 psi; HVLV: 19 cfm at 35 psi



SATAjet® 1800 K spray mix™

- Ergonomic design with a well-balanced gun body
- Low spray gun weight
- Single-axis trigger system for low trigger forces and fatigue-free working
- Innovative, two-part clampLock paint needle system
- Material connection system for the sieve or insert filter
- High surface quality at a pressure, range of 500-3625 psi
- Water - and solvent-based paint systems

Call for part numbers on spray mix spray guns

SATAjet® 3000 K spray mix™

- High application efficiency at high finish quality and low over-spray, environmentally friendly application
 - Sturdy hand-held spray gun for air-assisted airless application for highest requirements and long lifetime
 - Perfectly suitable for waterborne paints
 - Wide range of nozzles including reverse nozzle for a perfect adjustment to material and object
- Air consumption:

- Flat fan: 3 cfm at 45 psi; Round fan 8 cfm at 45 psi



SATAjet® 3000 A spray mix™

Air-assisted airless spray gun for the use on painting machines

- Nozzle technology of SATAjet 3000 K spray mix
- Wide range of nozzles
- Adjustment to common systems engineering of leading manufacturers
- Low-wear, safe results and easy to maintain
- Manual adjustment of round and flat fan

Air consumption:

Flat fan: 3 cfm at 45 psi; Round fan 8 cfm at 45 psi



SATAjet® 1000 H RP®

- Spray gun with 1.0 l suction cup
- High work speed and surface efficiency due to optimized high pressure technology





SATAjet® 3000 A™

Pressure-fed spray guns for the use on painting and robotic machines

- Nozzle technology of SATAjet 3000 K spray mix - provides perfect finishes automatically
 - Stainless steel and material recirculation versions as well as quick change adapters available
 - Various possibilities to allow the exact adjustment to the material and your individual painting process
 - Adjustment to common systems engineering of leading manufacturers
 - Low-wear, safe results and easy to maintain
 - Manual adjustment of round, flat fan and material flow
- Air consumption at 36 psi: RP: 14 cfm; HVLP 15.8 cfm



SATAjet® 20 B



The SATAjet 20 B can greatly help to speed the application of the glaze to the different profiles of cabinet doors during the finishing process. Not only does it save time, it can also save a large amount of glaze and wiping rags.

designed for use in all areas of creative wood finishing:

- Airbrush with round fan in exceptional spray gun design – ergonomically shaped for fatigue-free working
- Durable and low maintenance
- Material flow control
- Low maintenance due to self-adjusting seals
- Flexible air supply - inlet connection available at the base and at the rear of the gun.



SATAmijet® 4400/1000


small size - big performance

SATAmijet® 4400 B

Brilliance in Miniature

Compact, lightweight gravity spray gun. Low pressure and CFM with a wide spray pattern range (from approx. ¼"-8") makes the 4400 B an excellent choice for touch-up/repair at the factory or in the field.

- Easy to clean, corrosion-resistant pearlodized™ surface
- Special "SR" nozzle sets for spot repairs
- This spray gun allows the application of all modern paint systems - including waterborne
- Large QCC cup connection for all cup sizes
- RP: 7.0 cfm at 36 psi; HVLP: 4.1 cfm at 29 psi



SATAmijet® 1000 K

The compact industrial gun


Compact, reduced size spray gun with full size attitude! Great for specialty applications.

- Special spray gun for areas of difficult access, such as drawers, or when painting in overhead positions
- Excellent for spray only stains, uses low pressure which reduces bounce back in profiles
- Sturdy, easy-to-clean anodized surface
- Designed for less hand fatigue and longer continuous work
- Also available in siphon cup version, SATAmijet H, 1.4 nozzle
- RP: 7 CFM at 36 psi; HVLP: 4.2 CFM at 29 psi



DO-IT-YOURSELF

Measure & Cut ➤
Push to Connect



***SAVINGS up to 35%**
compared to steel or copper installation!

*Savings may vary

Renovate Your Steel System

DanAm Air's aluminum pipe ensures a total absence of corrosion. The inner pipe surface consistently delivers clean compressed air. DanAm Air prevents the problems caused by rust, which affects galvanized steel systems. Due to consistent clean quality air, from compressor outlets to machines, DanAm Air's aluminum pipe ensures higher longevity of equipment and avoids frequent changes of filtration elements. DanAm Air can also be integrated into existing copper and steel piping without compromising performance, making it perfect for upgrades or expansion projects.

PROFESSIONAL ALUMINUM COMPRESSED AIR PIPING SYSTEM

SAVE MONEY
EASY TO INSTALL YOURSELF
OR HAVE PROFESSIONALLY INSTALLED

Use for new installation, or to expand or modify your current system

- ENERGY EFFICIENT
- EASY TO INSTALL
- Modular design
- Corrosion Resistant
- Leak-free guarantee
- Removable and reusable
- Push-to-connect technology
- Immediate pressurization
- Full bore design
- 1/2" to 6" pipe sizes



Significant Energy Savings

Compressed air represents one of the largest opportunities for immediate energy savings. Plant management is often surprised to hear that compressed air can represent 20-50% of a plant's electric bill. Plant management is truly amazed when they find out that using an efficient piping system specifically designed for compressed air can reduce their energy bill by 30-60%, many times within a 24-month period.

For instance, a large industrial plant recently redesigned their compressed air system with DanAm Air. This accounted for 35% savings in the plant's monthly energy bill, which paid for the system in 15 months. The plant continues to save by:

- Increased air system reliability
- Reduced maintenance cost and extended equipment life
- Reduced system downtime, increased production rates

The results speak for themselves and show that DanAm Air is the best performing system and the best long-term choice, no matter whether the project is for an extension, the modification of an existing pipe system or a new installation.


DanAmAir®

Dan-Am Co.® · One Sata Drive,
Spring Valley, MN 55975
For a FREE quote call:
800-533-8016
DanAmAir.com



Filter Regulators and Breathing Protection - for Perfect Finishes and Health Protection

The **SATA air vision 5000 focus** is on **effective health protection** and lets you experience a whole new and comfortable way of breathing, due to a completely re-designed breathing air supply system. With its modern, ergonomic design, the hood can be adapted to fit almost any head shape, allowing the individual adjustment of its circumference, height and position.



w/carbon reg. set
Order No. 214718

w/air regulator set
Order No. 1005603



SATA® air vision™ 5000

For the ultimate safety and protection

Whatever environment you are working in: Whether you want cooled, heated or re-humidified breathing air or simply looking for absolute safety from particle contamination – with the new add-on modules complementing the SATA air vision 5000 breathing protection system, you can be sure your health and comfort are both efficiently catered to.

- Rigid bump cap for safer work conditions
- Large field of vision: approximately 116" at a maximum possible angle of 220°
- Replaceable visor foils allow unchanging clear view
- Soft-stream flow-optimized air distribution in the hood



SATA air vision 5000 system design with SATA filter systems



SATA® air carbon regulator set

Includes SATA air regulator belt, SATA air carbon regulator
Order No. 1000075



SATA® air regulator set

Includes SATA air regulator belt, SATA air regulator (no charcoal)
Order No. 1000116



SATA® air carbon regulator only

Can be swiveled and adjusted on belt unit by up to +/-45°. To be used with two stage filter unit
Order No. 1000182



SATA® air regulator only

Can be swiveled and adjusted on belt unit by up to +/-45°. To be used with three stage filter unit
Order No. 1000207

PRODUCT BENEFITS

- High breathing air quality: The air supply, independent of the ambient air, eliminates all potential risks for the painter by contaminated spray booth air.
- No inhalation resistance, very comfortable breathing
- High level of protection, suitable for prolonged application intervals
- Visor allows one-hand operation
- Non-reflecting view due to solvent-resistant special foil
- Little operating costs, quick pay-off of purchase costs
- Ergonomic design with a host of options for individual adaptations
- Soft-stream flow-optimized air distribution in the hood
- Safety gauge with green zone notifies user of adequate air pressure, to maintain a constant positive pressure inside the hood, which prevents overspray intrusion

- Large field of vision
- Reduced sound level: 64dB (like a conversation in 3' distance)
- Rigid bump cap for safer work conditions
- Replaceable visor foils allow unchanging clear view onto the workplace
- The SATA CCS Disks (Color Code System) allow to personalize hood, SATA air regulator and SATA air carbon regulator
- To be used in conjunction with a filter unit, the SATA filter 484 is recommended; air supply to be effected via approved breathing hose

NIOSH approval number TC-19C-0533



SATA® air regulator belt Plus

Accessory, added length, thicker, larger pads for comfort
Order No. 1030668



SATA® air regulator belt

Comfortably cushioned belt allowing the individual adaptation and upgrade for modules
Order No. 1000223



SATA® air vision 5000 hood

SATA air vision 5000 hood only with pressure gauge
The ergonomic design with a host of options for individual adaptations and soft-stream flow-optimized air stream provides highest wearer comfort
Order No. 1005596

Spare Parts

210405	Visor Foil, 6 perforations, 5 pieces
210468	Visor Foil, 6 perforations, 20 pieces
215550	Visor Foil, 6 perforations, 50 pieces
215590	Visor Foil, 6 perforations, 100 pieces
210526	Visor Foil, 6 perforations, 1000 pieces
208280	Head fixation cpl
218206	Activated charcoal filter for SATA air carbon regulator
1073197	Comfort pad, fits over vision 5000 adjustment knob, Velcro closure
213728	Comfort band, 10 pieces, Velcro closure
211912	Hygiene insert, 20 pieces
226746	Hood cloth, dark grey

SATA air vision 2000 and SATA air star C options:



w/charcoal filter
Order No. 36384



w/Ind. belt valve
Order No. 60707



SATA® vision™ 2000

The complete health protection system

Supplied-air respirator hood with very high wearing comfort and optimum hygiene. The system perfectly complies with painters' requirements and protects their respiratory tracts, eyes, skin and hair (especially important for the application of waterborne paints).



w/charcoal filter
Order No. 137547



w/Ind. belt valve
Order No. 137745



SATA® air star C™

The supplied-air half mask

Skin-friendly mask made of TPE* with anatomically shaped sealing frame, solvent-resistant.


- Safe seat, free field of vision (protective goggles Part No. 97485 required, not included in delivery)
- No accumulation of heat and humidity inside the mask

Dan-Am 2710 & 2733

pressure pumps

Ideal for trade and industry: cabinet shops, furniture industry, paint & finish shops, machine construction

- Soft, controllable spray pattern
- The finest atomization generates first class finishes
- 2 pressure ratio choices medium or high
- Perfect finishing system for high quality, even finishes
- Dual filter system prevents downtime
- Heavy duty housing and new seal system
- Quick simple maintenance
- Stand mount or trolley also available



SATA® Vario top spray™

the double diaphragm pump

Efficient pump to apply large amounts of paint.

- The alternative to a paint pressure tank
- Aluminum and stainless steel versions
- Sturdy, low-wear and low maintenance
- Easy refill
- Several versions for mobile and stationary use are available
- Allows to work with open original containers – no refill or ventilation required as would be necessary with pressure tanks
- High performance spray gun SATAjet 3000 K not contained in the scope of delivery



Cleaning systems for spray guns



Spray gun cleaning is an important yet unpopular task amongst painters. SATA cleaning devices reliably help achieve correct gun cleaning **which is of vital importance not only in order to maintain proper function of the spray gun, but also to increase the process security in the shop.**

SATA® clean RCS™

the turbo cleaner

For body shops with high output and many color changes.

- Rapid and safe color change when using disposable cups, such as SATA RPS
- Thorough cleaning of the material passages
- Eliminates the need for trips in and out of the booth, as it can be mounted inside the spray booth
- Increases body shop productivity

Order No. 146944



SATA® clean RCS™ compact

- To connect large cleaning agent containers
- Recommended for wall-mounting inside the mixing room, as there is no need for spray air supply
- Optional: Hose for extracting solvent fumes

Order No. 192518



SATA® clean RCS™ micro

The compact version is also available as space-saving option with a one-chamber-system.

- To connect large cleaning agent containers
- Recommended for wall-mounting inside the mixing room, as there is no need for spray air supply
- Space-saving one-chamber system
- Optional: Hose for extracting solvent fumes

Order No. 202564

SATA® RPS® – The Original.

The safe, refillable cup system for professionals: easy, perfect, economical

RPS 0.6 Liter

Content: SATA RPS 0.6 l cup, lid and filter
 Order # 1010438 (125 µ, flat) pk of 60
 Order # 1010488 (200 µ plug-in) pk of 60
 Order # 1010545 (200 µ, flat) pk of 60

RPS 0.9 Liter

Content: SATA RPS 0.9 l cup, lid and filter
 Order # 1011973 (125 µ, flat) pk of 40
 Order # 1011981 (200 µ, plug-in) pk of 40
 Order # 1012004 (200 µ, flat) pk of 40

RPS 0.6 Liter UV

Content: SATA RPS 0.6 l cup, lid and filter
 Order # 1010496 (125 µ, flat) pk of 60
 Order # 1010503 (200 µ, plug-in) pk of 60

RPS 0.3 Liter Standard

SATA RPS 0.3 l cup, lid and filter.
 Order # 1010389 (125 µ, flat) pk of 40
 Order # 1010397 (200 µ plug-in) pk of 40
 Order # 1010420 (125 µ, flat) pk of 100
 Order # 1010404 (200 µ plug-in) pk of 100

RPS 0.3 Liter for SATAminijet

(minijet 3000 B and earlier)
 Order # 1010553 (125 µ, flat) pk of 60
 Order # 1010561 (200 µ plug-in) pk of 60

RPS Spare Lids

Order # 1013226 (0.6 l & 0.9 l lids) pk of 80
 Order # 1013218 (0.3 l Standard) pk of 60
 Order # 1013234 (0.3 l minijet) pk of 108

CHARACTERISTICS



- Easy to use – only 3 parts
- Constant material flow, helping the painter to achieve perfect coating results just like child's play
- Allows very quick color changes - cleaning becomes almost irrelevant
- The special lid shape ensures complete consumption of the paint contained in the cup
- Paint is mixed in the cup and ready for painting
- Large number of mixing ratios (up to 100 variations)
- Fits directly on all SATA spray guns - no adapters
- Stable cup ensures safe storage of leftover material
- Reduces cleaning efforts and solvent consumption
- Available in the 3 cup sizes 0.3 l, 0.6 l and 0.9 l
- Different strainer types available



SATA® Loyalty Program

coins & more

1. Download App & register
2. Scan QR code under the lid
3. Collect coins & Convert into rewards

Specialty Gravity Cups

SATA® BVD™



- 0.7 l QCC pressurized cup to retrofit your spray guns
- For the application of high viscosity materials
- Max. material pressure: 24 psi



SATA® agitator cup (RWB)



- Pneumatically operated, adjustable mixing of materials that tend to settle, such as emulsions or paints / colors with metallic or mineral components.
- Suitable for all SATA spray guns with QCC cup connection
- Size: 0.7 l



The Spray Guns for Wood Finishers

Further important factors for choosing the right spray gun are the work methods of the painter, the object to be painted, the paint system being used and the air volume provided by the compressor.

Material and application	SATAjet® 5000 B		SATAjet® 1000 B / LIGNUM 2® *	
	HVLP	RP®	HVLP	RP®
Clearcoats	★★★ 1,0 - 1,7	★★★ 1,0 - 1,6	★★★ 1,4 - 1,7	★★★ 1,0 - 1,6
Effect paints	★★★ 1,0 - 1,7	★★★ 1,0 - 1,6	★★★ 1,4 - 1,7	★★★ 1,0 - 1,6
Single stage materials	★★★ 1,0 - 1,7	★★★ 1,0 - 1,6	★★★ 1,4 - 1,7	★★★ 1,0 - 1,6
Primer materials	★★★ 1,9 2,2	★★★ 1,6 - 2,5	★★★ 1,7 - 2,1	★★★ 1,6 - 2,5
High-viscosity materials (e.g. thick-film glazes)	★★ 1,9 2,2	★★★ 1,6 - 2,5	★★★ 1,7 - 2,1	★★★ 1,6 - 2,5 ★★★ 1,6 1,8 2,0 (mit BVD)
Clearcoats for wood (living area)	★★★ 1,0 - 1,7	★★★ 1,0 - 1,6	★★★ 1,4 - 1,7	★★★ 1,0 - 1,6
Glazes (interior fittings)	★★★ 1,0 - 1,3	★★★ 1,2 1,3	★★★ 1,4	★★★ 1,0 - 1,3
Floor coatings (non-slip coatings)				
Contact adhesives				★★★ 1,6 Drall/OS

Material and application	SATAmijet® 4400® B		SATAmijet® 1000 K***	
	HVLP	RP®	HVLP	RP®
Clearcoats		★★ 1,2 - 1,6	★★★ 1,0 - 1,2	★★★ 1,1 - 1,3
Effect paints	★★ 1,0 - 1,4	★★ 0,8 - 1,4		★★★ 1,1 - 1,3
Single stage materials		★★ 1,6	★★★ 1,0 1,2	★★★ 1,1 - 1,3
Primer materials	★★ 1,1	★★★ 1,6	★★★ 1,2 - 2,0	★★★ 1,3 - 2,0
Antifouling			★★ 1,0 1,2	★★★ 1,1 - 1,3
High-viscosity materials (e.g. thick-film glazes)		★★ 1,6	★★★ 1,2 - 2,0	★★★ 1,3 - 2,0
Clearcoats for wood (living area)		★★ 1,2 - 1,6	★★★ 1,2 - 1,6	★★★ 1,1 - 1,3
Glazes (interior fittings)	★★★ 0,8 - 1,1	★★ 1,4 ★★★ 0,5		
Floor coatings (e.g. non-slip coatings)				
Contact adhesives				

★★★ Perfectly suitable ★★ Well suited ★ Suitable

Note: Please observe the technical data sheets of the respective paint manufacturers!

* in combination with SATA® BVD™ or SATA® RWB

** in combination with SATA® BVD™

*** in combination with a paint pressure tank. Pressure fed spray guns are especially suitable for surfaces larger than 3 m².

Wood Finishing Applications

PART # DESCRIPTION

SATAjet 5000 B

STANDARD 5000 B HVLP

210732	SATAjet 5000 B HVLP Std, 1.0
210740	SATAjet 5000 B HVLP Std, 1.2
210757	SATAjet 5000 B HVLP Std, WSB
210765	SATAjet 5000 B HVLP Std, 1.3
210799	SATAjet 5000 B HVLP Std, 1.4
210823	SATAjet 5000 B HVLP Std, 1.5
210831	SATAjet 5000 B HVLP Std, 1.7
210849	SATAjet 5000 B HVLP Std, 1.9
210856	SATAjet 5000 B HVLP Std, 2.2

STANDARD 5000 B RP

215640	SATAjet 5000 B RP Std, 1.1
209858	SATAjet 5000 B RP Std, 1.2
209866	SATAjet 5000 B RP Std, 1.2W
209874	SATAjet 5000 B RP Std, 1.3
209882	SATAjet 5000 B RP Std, 1.4
209890	SATAjet 5000 B RP Std, 1.6
209908	SATAjet 5000 B RP Std, 1.8
209916	SATAjet 5000 B RP Std, 2.0

SATAminijet 4400 B RP & HVLP

SATAminijet 4400 B RP

202382	Minijet 4400 B RP, 0.5, (2x) 0.3l RPS
198374	Minijet 4400 B RP, 1.4, (2x) 0.3l RPS
204156	Minijet 4400 B RP, 1.6, (2x) 0.3l RPS
202390	Minijet 4400 B RP, 0.8SR, (2x) 0.3l RPS
198358	Minijet 4400 B RP, 1.0SR, (2x) 0.3l RPS
198366	Minijet 4400 B RP, 1.2SR, (2x) 0.3l RPS
1065136	Minijet 4400 B RP, 1.3SR, (2x) 0.3l RPS

SATAminijet 4400 B HVLP

204164	Minijet 4400 B HVLP, 0.3, (2x) 0.3l RPS
204172	Minijet 4400 B HVLP, 0.5, (2x) 0.3l RPS
204180	Minijet 4400 B HVLP, 0.8, (2x) 0.3l RPS
204198	Minijet 4400 B HVLP, 1.0, (2x) 0.3l RPS
204206	Minijet 4400 B HVLP, 1.1, (2x) 0.3l RPS
198168	Minijet 4400 B HVLP, 0.8SR, (2x) 0.3l RPS
198176	Minijet 4400 B HVLP, 1.0SR, (2x) 0.3l RPS
198184	Minijet 4400 B HVLP, 1.2SR, (2x) 0.3l RPS
198192	Minijet 4400 B HVLP, 1.4SR, (2x) 0.3l RPS

SATAjet 1500 B SoLV

SATAjet 1500 B SoLV HVLP Standard

1010925	SATAjet 1500 B SoLV HVLP, 1.3
1010933	SATAjet 1500 B SoLV HVLP, 1.4

SATAjet 1500 B SoLV RP Standard

1010892	SATAjet 1500 B SoLV RP, 1.3
1010917	SATAjet 1500 B SoLV RP, 1.4

SATAjet 1000 B Lignum

SATAJET 1000 B HVLP LIGNUM

149377	SATAjet 1000 B HVLP Std, 1.4
--------	------------------------------

SATAjet 1000 B Lignum

SATAJET 1000 B RP LIGNUM

149377	SATAjet 1000 B HVLP Std, 1.4
--------	------------------------------

SATAjet 1000 B

SATAJET 1000 B HVLP, 0.6 PVC CUP HVLP

Nozzle Sets

149377	SATAjet 1000 B HVLP Std, 1.4	149195
149385	SATAjet 1000 B HVLP Std, 1.7	149203
149393	SATAjet 1000 B HVLP Std, 1.9	149211
149401	SATAjet 1000 B HVLP Std, 2.1	149229

SATAJET 1000 B HVLP, 0.75 ALUM CUP

149419	SATAjet 1000 B HVLP Std, 1.4
149427	SATAjet 1000 B HVLP Std, 1.7
149435	SATAjet 1000 B HVLP Std, 1.9
149443	SATAjet 1000 B HVLP Std, 2.1

PART # DESCRIPTION

SATAJET 1000 B HVLP, 1.0 ALUM CUP

158147	SATAjet 1000 B HVLP Std, 1.4
158154	SATAjet 1000 B HVLP Std, 1.7

SATAJET 1000 B RP, PVC CUP

RP

Nozzle Sets

151183	SATAjet 1000 B RP Std, 0.8	151316
151191	SATAjet 1000 B RP Std, 1.0	151324
149302	SATAjet 1000 B RP Std, 1.3	149161
149310	SATAjet 1000 B RP Std, 1.6	149179
150391	SATAjet 1000 B RP Std, 1.8	150417
149328	SATAjet 1000 B RP Std, 2.0	149187
151209	SATAjet 1000 B RP Std, 2.5	151332
151217	SATAjet 1000 B RP Std, 3.0	151340
154161	SATAjet 1000 B RP Std, 4.0	154187
Call	SATAjet 1000 B RP Std, 5.0	154195

SATAJET 1000 B RP, 0.75 ALUM CUP

151225	SATAjet 1000 B RP Std, 0.8
151233	SATAjet 1000 B RP Std, 1.0
150342	SATAjet 1000 B RP Std, 1.3
149344	SATAjet 1000 B RP Std, 1.6
150409	SATAjet 1000 B RP Std, 1.8
149351	SATAjet 1000 B RP Std, 2.0
151241	SATAjet 1000 B RP Std, 2.5
151258	SATAjet 1000 B RP Std, 3.0
154179	SATAjet 1000 B RP Std, 4.0
Call	SATAjet 1000 B RP Std, 5.0

SATAJET 1000 B RP, 1.0 ALUM CUP

158071	SATAjet 1000 B RP Std, 1.0
158089	SATAjet 1000 B RP Std, 1.3
158097	SATAjet 1000 B RP Std, 1.6
158105	SATAjet 1000 B RP Std, 1.8
158113	SATAjet 1000 B RP Std, 2.0
158121	SATAjet 1000 B RP Std, 2.5
158139	SATAjet 1000 B RP Std, 3.0
Call	SATAjet 1000 B RP Std, 4.0
Call	SATAjet 1000 B RP Std, 5.0

SATAJET 1000 B RP FOR GLUE APPL

164962	SATAjet 1000 B RP, 1.6 D Drall 0.6 L QCC reusable plastic cup
164970	Nozzle set SATAjet 1000 B RP 1.6 Drall/ twisted round spray
214320	SATAjet 1000 B RP nozzle 1.3 DA pressurized cup spray gun for dispersion glues
214338	Nozzle set SATAjet 1000 B RP 1.3 DA for dispersion glues

SATAjet 1000 K

SATAjet 1000 K HVLP

139204	SATAjet 1000 K HVLP, 1.0
139212	SATAjet 1000 K HVLP, 1.2
139220	SATAjet 1000 K HVLP, 1.6
139238	SATAjet 1000 K HVLP, 2.0
141960	SATAjet 1000 K HVLP, 0.8, STN*
141978	SATAjet 1000 K HVLP, 1.0, STN*
141986	SATAjet 1000 K HVLP, 1.2, STN*
142000	SATAjet 1000 K HVLP, 1.6, STN*
142018	SATAjet 1000 K HVLP, 2.0, STN*

SATAjet 1000 K RP

132092	SATAjet 1000 K RP, 0.8
132100	SATAjet 1000 K RP, 1.1
132118	SATAjet 1000 K RP, 1.3
132126	SATAjet 1000 K RP, 1.5
132134	SATAjet 1000 K RP, 1.7
132142	SATAjet 1000 K RP, 2.0
153486	SATAjet 1000 K RP, 2.5
153494	SATAjet 1000 K RP, 3.0
141903	SATAjet 1000 K RP, 0.8, STN*
141911	SATAjet 1000 K RP, 1.1, STN*
141929	SATAjet 1000 K RP, 1.3, STN*
141937	SATAjet 1000 K RP, 1.5, STN*
141945	SATAjet 1000 K RP, 1.7, STN*
141952	SATAjet 1000 K RP, 2.0, STN*

*STN = Special Treated Extended Life Nozzle

PART # DESCRIPTION

SATAminijet 1000 K

SATAminijet 1000 K HVLP

190280	SATAminijet 1000K HVLP, 0.3
190298	SATAminijet 1000K HVLP, 0.5
190306	SATAminijet 1000K HVLP, 0.8
190314	SATAminijet 1000K HVLP, 1.0
190322	SATAminijet 1000K HVLP, 1.2

SATAminijet 1000 K RP

187450	SATAminijet 1000K RP, 0.3
187468	SATAminijet 1000K RP, 0.5
187476	SATAminijet 1000K RP, 0.8
187484	SATAminijet 1000K RP, 1.0
187492	SATAminijet 1000K RP, 1.2
197152	SATAminijet 1000K RP, 1.4
187419	Paint pipe, cpl. G1/4 - G1/4
199018	Paint pipe, cpl. G1/4 - G3/8

SATAminijet 1000 H

191502	SATAminijet 1000 H HVLP, 1.4
187682	SATAminijet 1000 H RP, 1.4
188318	RPS adapter No. 17
188482	RPS Siphon cup kit for 0.3l, set of 25
188516	RPS Siphon cup kit for 0.3l, set of 50
188490	RPS Siphon cup kit for 0.6l, set of 25
188524	RPS Siphon cup kit for 0.6l, set of 50
188508	RPS Siphon cup kit for 0.9l, set of 25
188532	RPS Siphon cup kit for 0.9l, set of 50

SATAjet 1800 K spray mix

CALL FOR MORE INFO

SATAjet 3000 K spray mix

CALL FOR MORE INFO

SATAjet 3000 A spray mix Robotic

CALL FOR MORE INFO

SATAjet 3000 A Robotic RP/HVLP

CALL FOR MORE INFO

SATAjet 20 B (formerly SATA dekor 2000)

65078	SATAjet 20 B, 0.2, 65 ccm PVC
189035	SATAjet 20 B, 0.2F, 65 ccm PVC
65581	SATAjet 20 B, 0.35, 65 ccm PVC
65649	SATAjet 20 B, 0.5, 65 ccm PVC
66316	SATAjet 20 B, 0.8, 65 ccm PVC
69229	SATAjet 20 B, 1.0, 65 ccm PVC
86181	SATAjet 20 B, 0.2, 65ccm PVC, 3 glass jars
86199	SATAjet 20 B, 0.35, 65ccm PVC, 3 jars
86207	SATAjet 20 B, 0.5, 65ccm PVC, 3 glass jars
86215	SATAjet 20 B, 0.8, 65ccm PVC, 3 glass jars
86223	SATAjet 20 B, 1.0, 65ccm PVC, 3 glass jars
90381	SATAjet 20 B Design Set, (specify nozzle)

Repair Kits

211532	SATAjet 5000 B HVLP, RP repair kit
166058	SATAjet 4000 B HVLP, RP repair kit,
92767	SATAjet 3000 K, HVLP & RP repair kit
130542	SATAjet 1000 K, HVLP & RP repair kit
198614	SATAminijet 4400 B repair kit
69377	SATAjet 20 B, repair kit
94979	SATA Filter 400 Series repair kit

Maintenance Sets

1050674	SATAjet 5000 B Maintenance Set
1047150	SATAjet 1500 B SoLV Maintenance Set
1047100	SATAjet 1000 B Maintenance Set

Vario Top

72553	Vario Top Pump, S/S, Barrel
72678	Vario Top Pump, S/S, Wall
72694	Vario Top Pump, S/S, Mobile
81406	Vario Top Pump, S/S, Stand
81661	Vario Top Pump, Std, Stand

PART #	DESCRIPTION
--------	-------------

Filters

SATA Filter 200 Series

43687	222 Single stage w/gauge/discharger sinter filter
44434	234 Single stage in-line
141226	264 Single stage charcoal unit
43752	242 Line filter, w/o valve, w/mod.
44404	244 Dual filter w/press reg & mod, 2 drop
44404-4	244 Dual filter w/press reg & mod, 4 drop
141226	264 Add-on charcoal filter unit
189290	282 Triple Stage Line filter
141218	284 Triple Filter w/reg valve & module (2 drop)
141218-4	284 Triple Filter w/reg valve & module (4 drop)
142224	Manifold, 200 Series w/couplings
47290	Regulator, 200 Series
47290A	Point of use regulator w/two drop manifold, mounting bracket
47290B	Regulator mounting bracket only 200 series
675614	Low profile mounting bracket
53579	Standard wall bracket, 400 series

SATA Filter 500 Series

1101667	SATA 500 pressure reducer w/gauge 0-145 psi
1101659	SATA Filter 524 Single-stage Sinter Filter
1101641	SATA Filter 524L Single-stage Line sinter Filter
1101005	SATA Filter 564 add-on kit activated charcoal Filter
1100990	SATA Filter 544 Double-stage sinter/fine Filter
1124932	SATA Filter 544L Double-stage Line Filer w/o pressure reducer
1099953	SATA Filter 584 Triple-stage sinter/fine/activated charcoal Filter
1101716	SATA Filter 584L Triple-stage Line Filter w/o pressure reducer
1101625	SATA filter 584 w/carrying support triple-stage Filter
28076	SATA Stand only
22160	SATA Sinter filter for all SATA filter series
1097999	SATA fine filter cartridge for filter 500
1098004	SATA activated charcoal cartridge for filter 500
1098054	Service kit for filter 500 w/fine filter and activated charcoal cartridge

Respirators

SATA air vision 5000

1005596	vision 5000 hood unit only
1005603	vision 5000 hood, belt, SATA air regulator
214718	vision 5000 hood, belt, SATA air carbon regulator
1000223	SATA air regulator belt
1000182	SATA air carbon regulator
1000207	SATA air regulator
1006990	SATA air cooler, accessory
1007021	SATA air warmer, accessory
1000158	SATA air warmer carbon for air carbon regulator
218206	Activated charcoal filter replacement for air carbon regulator

SATA air vision 2000

51854	vision 2000 hood unit only
36384	vision 2000 with charcoal filter belt unit
37200	SATA activated charcoal belt unit only
60707	vision 2000 with industrial belt valve unit
61002	SATA industrial belt unit only
60541	Gray head/chest cape only

HKU Barrel Pump Unit

14555	HKU 60L Pump, w/gun/hoses/wands
34389	HKU 200L Pump, w/gun/hoses/wands

Dan-Am High Pressure Pumps

call	2710 Dan-Am medium pressure pump
call	2733 Dan-Am high pressure pump

Blow Guns

15156	Standard Nozzle
15214	Multi-nozzle
15180	Noiseless
133306	Pocket size

PART #	DESCRIPTION
--------	-------------

SATA RPS Dispenser

195784	Basic wall mount kit, 2 cups, 2 lids, 2 sieves
195776	Extension kit, additional, 1 cup, 1 lid tubes
196543	Rotowall adapter kit for mtg. basic and ext. kits
196550	Rotofloor adapter kit for mtg. basic and ext. kits

Premo Flex Red Breathing Hose

Hose Assembly, 3/8 ID, 250 psi, New Air Vision 5000 w/coupler & nipple, NIOSH approved

676010	Premium Breathing Hose 10'
676015	Premium Breathing Hose 15'
676020	Premium Breathing Hose 20'
676025	Premium Breathing Hose, 25'
676035	Premium Breathing Hose, 35'
676050	Premium Breathing Hose, 50'
676075	Premium Breathing Hose, 75'
676100	Premium Breathing Hose, 100'

Hose only w/1/4" BSP, male thread

678004	52"/1.3 m paint whip hose to connect gun & belt unit
678010	Premium Breathing Hose 10'
678015	Premium Breathing Hose 15'
678020	Premium Breathing Hose 20'
678025	Premium Breathing Hose, 25'
678035	Premium Breathing Hose, 35'
678050	Premium Breathing Hose, 50'
678075	Premium Breathing Hose, 75'
678100	Premium Breathing Hose, 100'

SATA Black Breathing Hose

Hose Assembly, 3/8 ID, 145 psi hose w/coupler & nipple. NIOSH approved

679010	Premium Breathing Hose 10'
679015	Premium Breathing Hose 15'
679020	Premium Breathing Hose 20'
679025	Premium Breathing Hose, 25'
679035	Premium Breathing Hose, 35'
679050	Premium Breathing Hose, 50'
679075	Premium Breathing Hose, 75'
679100	Premium Breathing Hose, 100'

Quality Dual hoses for pressure fed systems

3/8" air, 1/4" material, *Other sizes available*

675206	6'	675225	25'
675215	15'	675250	50'

Everything for the Modern Wood Finishers Shop




SATA® High Performance Grease
Silicone and acid-free. 100 g for spray guns.
Order No. 48173



PREMOFLEX Red Breathing Hose
Top quality hose for breathing air and air tools. 250 psi; Available in lengths up to 100 feet.



Spray gun holder
For wall or table mounting. Useful tool for refilling SATA RPS disposable cups.
Order No. 40188



SATA Viscosity Cup
DIN 4 mm viscosity cup for consistent measuring of material viscosity
Order # 9845 Turned aluminum
Order # 9852 Extruded aluminum



SATA® care set™
Bag with useful utensils for spray gun cleaning and maintenance.
Order No. 162628



Dan-Am Kneeler
Dan-Am Kneeler is an excellent tool to cushion your knees on rough or hard surfaces.
Order # KNE0002



SATA® Universal spray gun and gun hose holder
Order No. 192195



Airbrush Kit



Maintenance Kit

Cleaning Sets

Special needles and brushes for keeping your spray gun in optimum performance.
Airbrush Kit Order # 64036
Maintenance Kit Order No. 64035



Service Kit for SATA 500 filter
with fine filter and activated charcoal cartridge
Order No. 1098054

SAVE \$81.00

All SATA filter cartridges are supplied with a SATA filter timer



Wall mounted gun holder

9898-3 3 gun holder
9898-4 4 gun holder
9898-6 2x wall mounted 3 gun holder, holds 6 guns total



Spray gun holder
For wall mounting.
Order No. 9886




Paint strainers 300 µ

Pack of 10 units for SATA spray guns except for SATAmijet 3000 B.
Order No. 3988



A Savings of \$191

SATA® 200 filter replacement kit
Service kit for filter cartridges:
One year supply
Includes (2) 81810 + (4) 85373
Order No. 214270



Material tube
for SATAjet 1000 K and 3000 K
Order No. 92031



SATA blow gun
Blow gun with multi nozzle for high efficiency at little air consumption.
Order No. 15214



Flexible connection nipple G 1/4
Order No. 99895

Quick coupling nipple
Pack of 5 units (without illustration)
Order No. 6981

Your SATA dealer



SATA USA Inc.

One Sata Drive • PO Box 46
Spring Valley, MN 55975
Phone: 800-533-8016
E-mail: satajet@satausa.com
www.satausa.com

Errors and technical alterations reserved - SATA, SATAjet and/or other SATA products referenced here-in are either registered trademarks or trademarks of SATA GmbH & Co. KG in the U.S. and/or other countries.

15. Wood Finishing
Printed in U.S.A.
24-0130

