

The complete product range for
Industrial Coating Applications



SPRAY GUNS


CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY

ACCESSORIES

DAN-AM PRODUCTS



Successful Paint Application

Top coat spray guns for perfect finishes

SATA high performance spray guns are used to achieve perfect finishes in industrial coating processes, whether it be hand-held gravity cup spray guns, material fed spray guns or automatic spray guns. Their nozzle systems are perfectly adapted to the modern paint systems of all leading paint manufacturers. This ensures finishes which meet the highest demands in regard to color match precision, effects, material distribution, gloss level and brilliance.

Hand-held SATA high performance spray guns are made of forged aluminum and finished with a high-quality finish. With their fluid tips and paint needles being made of stainless steel, they can be used for the application of both solvent-based and waterborne paints. Round/flat fan control and air micrometer are standard features. The gun handle as well as all control elements are ergonomically formed for perfect gun control.


SATAjet® X 5500

**Revolutionary. Efficient.
Silent. Consistent.**

- X-nozzles are taking atomization to a whole new level
- Choice between "I" and "O"-nozzle sets
- Noticeably quieter: Whispering nozzle™ reduces noise level
- Matches each application requirement, such as specific characteristics of the paint system, climatic conditions and application method (application speed/application control)
- Optimized material distribution for enhanced spraying uniformity and atomization with both spray fan shapes
- Low maintenance: No air distribution insert required
- Constant fan size across the entire nozzle spectrum
- The optimized atomization concept allows for considerable material savings

SATAjet X 5500 available nozzle sizes

RP "I" and "O": 1.1, 1.2, 1.3, 1.4, 1.6, 1.8
HVLP "I" and "O": 1.1, 1.2, 1.3, 1.4, 1.5



SATAjet® 5000 B

As versatile as you

- Optimized nozzle concept for highest possible versatility concerning inlet pressure and spray distance
- Ergonomically shaped gun handle
- The pearlodized™ surface is a technical enhancement of the "pearlchromed" surface to further improve corrosion resistance as well as ease of cleaning and maintenance
- Easy to adjust control elements
- Safely positioned trigger sleeve – for easy, safe and quick insertion of the paint needle
- Compact-size gun handle
- Optimized round / flat fan control with half-turn only

SATAjet 5000 available nozzle sizes

RP: 1.0, 1.1, 1.2, 1.2W, 1.3, 1.4, 1.6, 1.8, 2.0, 2.5
HVLP: 1.0, 1.2, WSB, 1.3, 1.4, 1.5, 1.7, 1.9, 2.2



SATAjet® 3000 K

The pressure-fed gun for large surface applications

Painting entire utility vehicles requires pressure fed spray guns.

- High surface efficiency due to material supply from pressure tanks or via double diaphragm pumps
- Wide, smooth and homogeneous spray fan for perfect finishes at high application speed
- Extremely sturdy version with axial round/flat spray control
- **Optional:** fluid tip and paint needle with lifetime prolonging surface
- RP: 15.5 cfm at 36 psi; HVLP: 20 cfm at 36 psi

SATAjet 3000 available nozzle sizes

RP: 0.8, 1.1, 1.3, 1.5, 1.7, 2.0

HVLP: 0.8, 1.0, 1.2, 1.4, 1.6, 2.0



INTERNAL Control

SATAjet 3000 A



EXTERNAL Control

SATAjet 3000 ROB



SATAjet® 3000 A™ + SATAjet® 3000 ROB™

Pressure-fed spray guns for the use on painting and robotic machines.

- Nozzle technology of the SATAjet 3000 K – provides perfect finishes automatically
- Stainless steel and material recirculation versions as well as quick change adapters available
- Various possibilities to allow the exact adjustment to the material and your individual painting process
- Adjustment to common systems engineering of leading manufacturers
- Low-wear, safe results and easy to maintain
- Manual adjustment of round and flat fan as well as material flow with automatic version, external fan adjustment with ROB version

SATAjet 3000 A + SATAjet 3000 ROB available nozzle sizes

RP: 0.5, 0.8, 1.1, 1.3, 1.5, 1.7, 2.0

HVLP: 0.5, 0.8, 1.0, 1.2, 1.6, 2.0

Air consumption at 36 psi:

A. RP: 14 CFM; ROB RP: 15 CFM

A HVLP + ROB HVLP: 15 CFM



SATAjet 1000 – The All around Spray Gun

The SATAjet 1000 B is the multi application choice amongst gravity flow cup spray guns for craft and industry. Due to the wide range of nozzle sizes and accessories available, such as pressurized and agitator cups, various materials can be perfectly applied: low-viscosity stains, clear coats, texture finishes and glazes as well as spray-on glues and other thixotropic products. Even areas of difficult access can be easily coated due to extensions available in various configurations. We will find the suitable application solution for your special purposes upon request.

SATAjet® 1000 B

Universal spray gun with gravity flow cup

- Universally adjustable spray pattern with fine atomisation for a high work speed
- Special air passages on the air cap horns prevent material accumulations caused by overspray
- Wide and smooth material passages improve the material flow – reduces cleaning time and ensures perfect paint jobs
- Comfortable, ergonomically well balanced control elements, such as material flow control, the thumb adjustable round/flat spray control and integrated air micrometer
- Sturdy, easy clean surface
RP: 9.7 cfm at 29 psi; HVLP: 12.3 cfm at 29 psi

SATAjet 1000 B available nozzle sizes

RP: 0.8, 1.0, 1.3, 1.6, 1.8, 2.0, 2.5, 3.0, 4.0, 5.0
HVLP: 1.4, 1.7, 1.9, 2.1



Quick-change recording cpl. including without material return . Connection elements for a material connection for SATAjet ROB standard spray gun. Part No. 217521



Quick-change adapter cpl. SATA automatic guns , with mounting screw, with spacers 52720
Part No. 145169



SATAjet® 1000 K

The lightweight universal pressure-fed gun for large surface applications

- Allows connection to all sorts of material supply systems, such as pressure pots, double diaphragm pumps and central paint supply systems
- Suitable for the application of various materials – waterborne or solvent-based
- Sturdy, easy clean surface
- Special air flow at the air cap horns reduces overspray settling at the air cap
- RP: 14.5 cfm at 35 psi; HVLP: 19 cfm at 35 psi

SATAjet 1000 B available nozzle sizes

RP: 0.8, 1.0, 1.3, 1.5, 1.7, 2.0, 2.5, 3.0, 4.0, 5.0
HVLP: 0.8, 1.0, 1.2, 1.4, 1.6, 2.0



Quick change adapter SATAjet A/ROB

FIRA quick-change adapter with integrated precision pressure regulator , incl. connecting elements for SATAjet A automatic guns Part No. 208595

FIRA quick-change recording material with integrated precision pressure regulator , incl. Connecting elements for SATAjet ROB automatic guns. Part No. 208603



FIRA (Fluid Integrated Regulator Adapter) quick change adapter with integrated material fine pressure regulator, includes connection elements for SATAjet ROB automatic guns.




Available for automatic and robotic. Call for more info

SATAjet® 1000 H RP

Spray guns with 1.0 l suction cup
High work speed and surface efficiency due to optimized high pressure technology.

Air consumption:
9.7 CFM at 29 psi

SATAjet 1000 H available nozzle sizes
RP: 1.3, 1.6, 1.8, 2.0



SATAjet® 1000 A™ RP®

Pressure fed spray guns for the use on painting robots

- Nozzle technology of SATAjet 1000 K
- Lifetime prolonging surface treatment of material passages for abrasive materials available
- Stainless steel and material recirculation versions as well as quick change adapters available
- Various possibilities to allow the exact adjustment to your individual painting process
- Adjustment to common systems engineering of leading manufacturers
- Low-wear, safe results and easy to maintain
- Manual adjustment of round and flat fan as well as material quantity

Air consumption:

RP: 15.5 CRM/min at 36.26 psi

SATAjet 1000 A RP available nozzle sizes
RP: 0.5, 0.8, 1.1, 1.3, 1.5, 2.0, 3.0



Adhesive application

- SATAjet 1000 B/K D RP 1.6 ("Spiral" round fan nozzle) for the application of adhesives
- SATAjet 1000 K RP D especially for dispersion of adhesives, twist
- SATAjet 1000 K RP DA 1.3 for dispersion of adhesives, round spray only



Extensions

Extensions for SATAjet 1000 B RP and K RP as well as for A RP are available allowing special applications, such as hollow body coatings, areas of difficult access or narrow or deep-seated areas:

■ Diagonal spray nozzle set



- | | |
|--------|--|
| 154476 | 20 cm - 45° Diagonal spray extension SATAjet 1000 K RP 1.6 |
| 154484 | 30 cm - 45° Diagonal spray extension SATAjet 1000 K RP 1.6 |
| 154492 | 40 cm - 45° Diagonal spray extension SATAjet 1000 K RP 1.6 |

■ Round/flat spray nozzle set



- | | |
|--------|---|
| 154435 | 20 cm - Straight Extension SATAjet 1000 K RP 1.5 round/flat fan |
| 154443 | 30 cm - Straight Extension SATAjet 1000 K RP 1.5 round/flat fan |
| 154450 | 40 cm - Straight Extension SATAjet 1000 K RP 1.5 round/flat fan |

■ Angular head and flat spray nozzle set



- | | |
|--------|--|
| 154559 | 20 cm - 90° Angular head extension SATAjet 1000 K RP 1.6 |
| 154567 | 30 cm - 90° Angular head extension SATAjet 1000 K RP 1.6 |
| 154575 | 40 cm - 90° Angular head extension SATAjet 1000 K RP 1.6 |

■ Plate-shaped internal mixing nozzle set



- | | |
|--------|--|
| 154518 | 20 cm - 360° Internal mixing extension SATAjet 1000 K RP 1.6 |
| 154526 | 30 cm - 360° Internal mixing extension SATAjet 1000 K RP 1.6 |
| 154534 | 40 cm - 360° Internal mixing extension SATAjet 1000 K RP 1.6 |

- Modular extensibility with various extensions also for SATA automatic spray guns

- Extended custom lengths in 10 cm increments



SATAminijet® 4400/1000

small size - big performance



SATAminijet® 4400 B

The name says it all


Compact, lightweight gravity flow cup spray gun to paint small surfaces or areas of difficult access, for nano coatings and design paintings.

- Easy to clean, corrosion-resistant pearlodized™ surface
- Special "SR" nozzle sets for spot repairs
- This spray gun allows the application of all modern paint systems - including waterborne
- Large QCC cup connection for all cup sizes
- RP: 7.0 cfm at 36 psi; HVLP: 4.1 cfm at 20 psi

SATAminijet 4400 B available nozzle sizes

RP: 0.5, 1.4, 1.6, 0.8SR, 1.0SR, 1.2SR, 1.3SR

HVLP: 0.3, 0.5, 0.8, 1.0, 1.1, 0.3SR, 0.8SR, 1.0SR, 1.2SR, 1.4SR



SATAminijet® 1000 K

The compact industrial gun

Small, lightweight material-fed spray gun, ideal for painting small components in serial production, for release agent applications and nano coatings.

- Pressure-fed special spray gun for industrial paintings of areas of difficult access and small components in serial production conditions
- Sturdy, easy-to-clean anodized surface
- Both HVLP and RP versions are available
- RP: 7 CFM at 36 psi; HVLP: 4.2 CFM at 29 psi

SATAminijet 1000 K available nozzle sizes

RP: 0.3, 0.5, 0.8, 1.0, 1.2, 1.4

HVLP: 0.3, 0.5, 0.8, 1.0, 1.2

SATAminijet 1000 A

SATAminijet 1000 ROB

SATAminijet 1000 A S



SATAminijet® 1000 A + ROB, A S HVLP

Pressure-fed spray guns for the use on painting and robotic machines.

- Nozzle technology of the SATAminijet 1000 series
- Finest atomization on small surfaces and with coatings of complex component parts
- Various possibilities to allow the exact adjustment to your individual painting process
- Adjustment to common systems engineering of leading manufacturers
- Low-wear, safe results and easy to maintain
- Manual adjustment of round and flat fan as well as material flow with A version, external fan adjustment with ROB version
- Version A S for high frequencies of markings

SATAminijet 1000 A, ROB, nozzle sizes

RP: 0.3, 0.5, 0.8, 1.0, 1.2

HVLP: 0.3, 0.5, 0.8, 1.0, 1.2, 1.4

SATAminijet 1000 A S nozzle sizes

HVLP: 0.3, 0.5, 0.8, 1.0

Air consumption at 36 psi:

A RP: 195 NI/min; A HVLP: 170 NI/min

ROB RP: 220 NI/min; ROB HVLP: 150 NI/min

A S HVLP: 200 NI/min



SATAminijet® 1000 H

The compact industrial gun

Small, lightweight material-fed spray gun, ideal for painting small components in serial production, for release agent applications and nano coatings, stains, small parts or touch-up.

- Siphon-fed special spray gun for industrial paintings of areas of difficult access and small components in serial production conditions
- Sturdy, easy-to-clean anodized surface
- RP: 7 CFM at 36 psi; HVLP: 4.1 CFM at 29 psi

SATAminijet 1000 H available nozzle sizes

RP: 1.4, 1.4ST

HVLP: 1.4

Special solutions



SATAjet® 1800 K spray mix™

- Ergonomic design with a well-balanced gun body
- Low spray gun weight
- Single-axis trigger system for low trigger forces and fatigue-free working
- Innovative, two-part clampLock paint needle system
- Material connection system for the sieve or insert filter
- High surface quality at a pressure range of 500-3625 psi
- Water - and solvent-based paint systems

Call for part numbers on spray mix spray guns



SATAjet® 3000 K spray mix™

- High application efficiency at high finish quality and low overspray,
- environmentally friendly application
- Sturdy hand-held spray gun for air-assisted airless application
- for highest requirements and long lifetimes
- Perfectly suitable for waterborne paints
- Wide range of nozzles including inverse nozzle for a perfect
- adjustment to material and object

Call for part numbers on spray mix spray guns



SATA® BVD™ Pressurized Cup

To retrofit existing spray guns.
To apply materials of high viscosity; max. material pressure: 24 psi; volume: 0.7 l.
Part No. 25775



SATA® Agitator cup

Compressed air operated, adjustable agitation of materials that tend to settle, such as emulsions or paints with metallic or mineral components; capacity: 0.7 l.

Part No. 29926



SATAjet® 3000 A spray mix™

Air-assisted airless spray gun for the use on painting machines

- Nozzle technology of the SATAjet 3000 K spray mix
- Wide range of nozzles
- Adjustment to common systems engineering of leading manufacturers
- Low-wear, safe results and easy to maintain
- Manual adjustment of round and flat fan

Breathing Protection to Protect Your Health

SATA breathing protection equipment - whether it be a full face respirator or a half mask - provides maximum protection, enhanced lifetime and increased wearer comfort to protect your health without restricting your mobility, ensuring quality results.

Breathing systems which are **independent from ambient air** provide clean breathing air through a compressed air hose from an area outside of the workplace. Usually, this air is additionally cleaned using a filter system.



SATA® air vision™ 5000



For the ultimate safety and protection

Whatever environment you are working in: Whether you want heated or cooled breathing air, or simply looking for absolute safety from particle contamination – with the add-on modules complementing the SATA air vision 5000 breathing protection system, you can be sure your health and comfort are both efficiently catered to.

- Rigid bump cap for safer work conditions
- Large field of vision: approximately 116° at a maximum possible angle of 220°



*More vision 5000 part numbers are in the back of the brochure

SATA air vision 5000 system design with SATA filter systems



SATA air vision 2000 is still available



SATA® vision™ 2000



The complete health protection system

Supplied-air respirator hood with very high wearing comfort and optimum hygiene. The system perfectly complies with painters' requirements and protects their respiratory tracts, eyes, skin and hair (especially important for the application of waterborne paints).



SATA® air star C™



The supplied-air half mask

Skin-friendly mask made of TPE* with anatomically shaped sealing frame, solvent-resistant.

- Safe seat, free field of vision (protective goggles Art. No. 97485 required, not included in delivery)
- No accumulation of heat and humidity inside the mask

SATA Filter System

500 and 200 Series

Every body shop requires compressed air for many different applications, such as for painting, operation of supplied-air respirator systems, paint pressure tanks, material pumps, blow guns or cleaning devices. According to the field of application, there are different requirements concerning air purification: In any case, SATA offers the appropriate solution.

SATA® Filter 500 series



- Higher adsorption of contaminations (compared to SATA filter 484) due to the new sintered activated charcoal filter
- Air flow with approx. 135 cfm
- SATA filter timer to monitor the exchange intervals of all filter cartridges
- Synchronized maintenance: Filter maintenance only necessary every 6 months for all stages
- Bayonet lock with haptic and acoustic feedback
- Fine filter and activated charcoal filter cartridges fit perfectly, simply insert – without screw fittings or additional seals
- CCS color coding of filter housing and filter cartridges for safe maintenance.
- Upgrade of a SATA filter 544 to a 584 possible through a simple connector system
- Maintenance-free sealing elements
- Reverse air-flow options available
- Flow-optimized cyclone separator with enhanced particle separation efficiency of particles > 5 µm



SATA® Filter 544™

Dual-stage filter
(without activated charcoal) – suitable for the application of solvent-based paints.
Order No. 1100990



SATA® Filter 584™

Triple-stage filter (with activated charcoal)
– to apply VOC-compliant paints, such as waterborne or high-solid paints.
Order No. 1099953



SATA® Filter 544L™

Dual-stage filter in-line
(without activated charcoal) – suitable for the application of solvent-based paints.
Order No. 1124932



SATA® Filter 584L™

Triple-stage filter in-line (with activated charcoal) – to apply VOC-compliant paints, such as waterborne or high-solid paints. Order No. 1101716

SATA® Filter 200 series

Along with the 500, the 200 filter series is the most versatile modular filter system currently on the market but at an unbeatable price.

- Air flow 72 cfm at 90 psi
- Fine filter filtration to 0.01 micron
- Maximum protection for the painter



SATA® Filter 244™

Double-stage sinter filter/fine filter with pressure regulator and outlet module Use to connect regulated air to air tools and breathing air
Order No. 44404 with 2 drop manifold
Order No. 44404-4 with 4 drop manifold



SATA® Filter 282™

Triple Stage (in-line) An economical three-stage filter unit. Stages include a 5 micron filter with automatic condensation discharger, a 0.01 micron fine filter and an activated charcoal filter for breathing air or spraying waterborne. Used with the SATA supplied air respirator industrial belt valve or ensuring removal of oil residue when spraying water borne paint. Order No. 189290

Dan-Am point of use regulator

with two or four drop manifold, mounting bracket
Max inlet pressure: 216 psi

Max. cfm: 140

Two drop manifold

Order No. 675652

Four drop manifold

Order No. 675654



Dan-Am 2710 & 2733

pressure pumps

Ideal for trade and industry: cabinet shops, furniture industry, paint & finish shops, machine construction

- Soft, controllable spray pattern
- The finest atomization generates first class finishes
- 2 pressure ratio choices medium or high
- Perfect finishing system for high quality, even finishes
- Dual filter system prevents downtime
- Heavy duty housing and new seal system
- Quick simple maintenance
- Stand mount or trolley also available



SATA® Vario top spray™

the double diaphragm pump

Efficient pump to apply large amounts of paint.

- The alternative to a paint pressure tank
- Aluminum and stainless steel versions
- Sturdy, low-wear and low maintenance
- Easy refill
- Several versions for mobile and stationary use are available
- Allows to work with open original containers – no refill or ventilation required as would be necessary with pressure tanks
- High performance spray gun SATAjet 3000 K not contained in the scope of delivery



Cleaning systems for spray guns

Spray gun cleaning is an important yet unpopular task amongst painters. SATA cleaning devices reliably help achieve correct gun cleaning **which is of vital importance not only in order to maintain proper function of the spray gun, but also to increase the process security in the facility.**



SATA® clean RCS™

the turbo cleaner

For body shops with high output and many color changes.

- Rapid and safe color change when using disposable cups, such as SATA RPS
- Thorough cleaning of the material passages
- Eliminates the need for trips in and out of the booth, as it can be mounted inside the spray booth
- Increases body shop productivity

Order No. 146944



SATA® clean RCS™ compact

- To connect large cleaning agent containers
- Recommended for wall-mounting inside the mixing room, as there is no need for spray air supply
- Optional: Hose for extracting solvent fumes

Order No. 192518



SATA® clean RCS™ micro

The compact version is also available as space-saving option with a one-chamber-system.

- To connect large cleaning agent containers
- Recommended for wall-mounting inside the mixing room, as there is no need for spray air supply
- Space-saving one-chamber system
- Optional: Hose for extracting solvent fumes

Order No. 202564

SATA® RPS® – The Original. The safe, refillable cup system for professionals: easy, perfect, economical



SATA RPS (Rapid Preparation System) is the ideal cup system for shops focusing on **perfect finishes and high profitability**. It makes a painter's life much easier, considerably increases productivity and drastically reduces the consumption of cleaning solutions and solvents.

RPS 0.6 Liter

Content: SATA RPS 0.6 l cup, lid and filter

Order # 1010438 (125 µ, flat) pk of 60

Order # 1010488 (200 µ plug-in) pk of 60

Order # 1010545 (200 µ, flat) pk of 60

RPS 0.9 Liter

Content: SATA RPS 0.9 l cup, lid and filter

Order # 1011973 (125 µ, flat) pk of 40

Order # 1011981 (200 µ, plug-in) pk of 40

Order # 1012004 (200 µ, flat) pk of 40

RPS 0.3 Liter Standard

SATA RPS 0.3 l cup, lid and filter.

Order # 1010389 (125 µ, flat) pk of 40

Order # 1010397 (200 µ plug-in) pk of 40

Order # 1010420 (125 µ, flat) pk of 100

Order # 1010404 (200 µ plug-in) pk of 100

RPS 0.3 Liter for SATAMinijet

(minijet 3000 B and earlier)

Order # 1010553 (125 µ, flat) pk of 60

Order # 1010561 (200 µ plug-in) pk of 60

RPS Spare Lids

Order # 1013226 (0.6 l & 0.9 l lids) pk of 80

Order # 1013218 (0.3 l Standard) pk of 60

Order # 1013234 (0.3 l minijet) pk of 108

RPS 0.6 Liter UV

Order # 1010496 (125 µ, flat) pk of 60

Order # 1010503 (200 µ plug-in) pk of 60



CHARACTERISTICS

- Easy to use – only 3 parts
- Constant material flow, helping the painter to achieve perfect coating results just like child's play
- Allows very quick color changes - cleaning becomes almost irrelevant
- The special lid shape ensures complete consumption of the paint contained in the cup
- Large number of mixing ratios (up to 100 variations)
- Fits directly on all SATA spray guns
- Stable cup ensures safe storage of leftover material
- Reduces cleaning efforts and solvent consumption
- Available in the 3 cup sizes 0.3 l, 0.6 l and 0.9 l
- Different strainer types available

Industrial Coatings

PART #	DESCRIPTION	PART #	DESCRIPTION
SATAjet X 5500			
STANDARD X 5500 HVLP I-nozzle	HVLP I-Nozzle Sets	SATAjet 1000 B	
1061895 SATAjet X 5500 HVLP Std, 1.0	1063619	SATAJET 1000 B HVLP, 0.6 PVC CUP	HVLP Nozzle Sets
1061902 SATAjet X 5500 HVLP Std, 1.2	1063627	149377 SATAjet 1000 B HVLP Std, 1.4	149195
1061887 SATAjet X 5500 HVLP Std, 1.3	1063635	149385 SATAjet 1000 B HVLP Std, 1.7	149203
1061910 SATAjet X 5500 HVLP Std, 1.4	1063651	149393 SATAjet 1000 B HVLP Std, 1.9	149211
1061928 SATAjet X 5500 HVLP Std, 1.5	1063669	149401 SATAjet 1000 B HVLP Std, 2.1	149229
STANDARD X 5500 HVLP O-nozzle	HVLP O-Nozzle Sets	SATAJET 1000 B HVLP, 0.75 ALUMINUM CUP	
1061936 SATAjet X 5500 HVLP Std, 1.0	1063677	149419 SATAjet 1000 B HVLP Std, 1.4	
1061944 SATAjet X 5500 HVLP Std, 1.2	1063685	149427 SATAjet 1000 B HVLP Std, 1.7	
1061952 SATAjet X 5500 HVLP Std, 1.3	1063643	149435 SATAjet 1000 B HVLP Std, 1.9	
1061960 SATAjet X 5500 HVLP Std, 1.4	1063693	149443 SATAjet 1000 B HVLP Std, 2.1	
1061978 SATAjet X 5500 HVLP Std, 1.5	1063700	SATAJET 1000 B HVLP, 1.0 ALUMINUM CUP	
DIGITAL X 5500 HVLP I-nozzle		158147 SATAjet 1000 B HVLP Std, 1.4	
1062009 SATAjet X 5500 HVLP Digital, 1.1		158154 SATAjet 1000 B HVLP Std, 1.7	
1061986 SATAjet X 5500 HVLP Digital, 1.2		SATAJET 1000 B RP, PVC CUP	RP Nozzle Sets
1062017 SATAjet X 5500 HVLP Digital, 1.3		151183 SATAjet 1000 B RP Std, 0.8	151316
1062041 SATAjet X 5500 HVLP Digital, 1.4		151191 SATAjet 1000 B RP Std, 1.0	151324
1062059 SATAjet X 5500 HVLP Digital, 1.5		149302 SATAjet 1000 B RP Std, 1.3	149161
DIGITAL X 5500 HVLP O-nozzle		149310 SATAjet 1000 B RP Std, 1.6	149179
1062083 SATAjet X 5500 HVLP Digital, 1.1		150391 SATAjet 1000 B RP Std, 1.8	150417
1062091 SATAjet X 5500 HVLP Digital, 1.2		149328 SATAjet 1000 B RP Std, 2.0	149187
1062132 SATAjet X 5500 HVLP Digital, 1.3		151209 SATAjet 1000 B RP Std, 2.5	151332
1062140 SATAjet X 5500 HVLP Digital, 1.4		151217 SATAjet 1000 B RP Std, 3.0	151340
1062174 SATAjet X 5500 HVLP Digital, 1.5		154161 SATAjet 1000 B RP Std, 4.0	154187
STANDARD X 5500 RP I-nozzle	RP I-Nozzle Sets	Call SATAjet 1000 B RP Std, 5.0	154195
1061548 SATAjet X 5500 RP Std, 1.0	1063536	SATAJET 1000 B RP, 0.75 ALUMINUM CUP	
1061556 SATAjet X 5500 RP Std, 1.2	1063544	151225 SATAjet 1000 B RP Std, 0.8	
1061564 SATAjet X 5500 RP Std, 1.3	1063552	151233 SATAjet 1000 B RP Std, 1.0	
1061572 SATAjet X 5500 RP Std, 1.4	1063560	150342 SATAjet 1000 B RP Std, 1.3	
1106534 SATAjet X 5500 RP Std, 1.5	1106493	149344 SATAjet 1000 B RP Std, 1.6	
1106542 SATAjet X 5500 RP Std, 1.6	1106526	150409 SATAjet 1000 B RP Std, 1.8	
1126889 SATAjet X 5500 RP Std, 1.8	1125120	149351 SATAjet 1000 B RP Std, 2.0	
STANDARD X 5500 RP O-nozzle	RP O-Nozzle Sets	151241 SATAjet 1000 B RP Std, 2.5	
1061580 SATAjet X 5500 RP Std, 1.0	1063578	151258 SATAjet 1000 B RP Std, 3.0	
1061598 SATAjet X 5500 RP Std, 1.2	1063586	154179 SATAjet 1000 B RP Std, 4.0	
1061605 SATAjet X 5500 RP Std, 1.3	1063594	Call SATAjet 1000 B RP Std, 5.0	
1061613 SATAjet X 5500 RP Std, 1.4	1063601	SATAJET 1000 B RP, 1.0 ALUMINUM CUP	
1106550 SATAjet X 5500 RP Std, 1.5	1106500	158071 SATAjet 1000 B RP Std, 1.0	
1106568 SATAjet X 5500 RP Std, 1.6	1106518	158089 SATAjet 1000 B RP Std, 1.3	
1106897 SATAjet X 5500 RP Std, 1.8	1125138	158097 SATAjet 1000 B RP Std, 1.6	
DIGITAL X 5500 RP I-nozzle		158105 SATAjet 1000 B RP Std, 1.8	
1063536 SATAjet X 5500 RP Digital, 1.1		158113 SATAjet 1000 B RP Std, 2.0	
1063544 SATAjet X 5500 RP Digital, 1.2		158121 SATAjet 1000 B RP Std, 2.5	
1063552 SATAjet X 5500 RP Digital, 1.3		158139 SATAjet 1000 B RP Std, 3.0	
1063560 SATAjet X 5500 RP Digital, 1.4		Call SATAjet 1000 B RP Std, 4.0	
DIGITAL X 5500 RP O-nozzle		Call SATAjet 1000 B RP Std, 5.0	
1063578 SATAjet X 5500 RP Digital, 1.1		SATAJET 1000 B RP FOR GLUE APPLICATIONS	
1063586 SATAjet X 5500 RP Digital, 1.2		164962 SATAjet 1000 B RP 1.6 D Drall 0.6 L QCC reusable plastic cup	
1063594 SATAjet X 5500 RP Digital, 1.3		164970 Nozzle set SATAjet 1000 B RP 1.6 Drall/twisted round spray	
1063601 SATAjet X 5500 RP Digital, 1.4		214320 SATAjet 1000 B RP nozzle 1.3 DA pressurized cup spray gun for dispersion glues	
SATAjet 5000 B		214338 Nozzle set SATAjet 1000 B RP 1.3 DA for dispersion glues	
STANDARD 5000 B HVLP			
210732 SATAjet 5000 B HVLP Std, 1.0	210955	SATAjet 3000 K	
210740 SATAjet 5000 B HVLP Std, 1.2	210963	SATAjet 3000 K HVLP Standard	HVLP Nozzle Sets
210757 SATAjet 5000 B HVLP Std, WSB	210971	93385 SATAjet 3000 K HVLP 0.8	92783
210765 SATAjet 5000 B HVLP Std, 1.3	210989	92924 SATAjet 3000 K HVLP 1.0	92791
210799 SATAjet 5000 B HVLP Std, 1.4	211011	93393 SATAjet 3000 K HVLP 1.2	92809
210823 SATAjet 5000 B HVLP Std, 1.5	211045	193656 SATAjet 3000 K HVLP 1.4	191379
210831 SATAjet 5000 B HVLP Std, 1.7	211052	96164 SATAjet 3000 K HVLP 1.6	92817
210849 SATAjet 5000 B HVLP Std, 1.9	211060	96172 SATAjet 3000 K HVLP 2.0	92825
210856 SATAjet 5000 B HVLP Std, 2.2	211078	93385ST SATAjet 3000 K HVLP 0.8 STN*	
STANDARD 5000 B RP	RP Nozzle Sets	92924ST SATAjet 3000 K HVLP 1.0 STN*	
215640 SATAjet 5000 B RP Std, 1.1	215640	93393ST SATAjet 3000 K HVLP 1.2 STN*	
209858 SATAjet 5000 B RP Std, 1.2	209858	137851 SATAjet 3000 K HVLP 1.6 STN*	
209866 SATAjet 5000 B RP Std, 1.2W	209866	96172ST SATAjet 3000 K HVLP 2.0 STN*	
209874 SATAjet 5000 B RP Std, 1.3	209874	SATAjet 3000 K Spray Mix	
209882 SATAjet 5000 B RP Std, 1.4	209882	Call for part numbers	
209890 SATAjet 5000 B RP Std, 1.6	209890	SATAjet 3000 A Spray Mix	
209908 SATAjet 5000 B RP Std, 1.8	209908	Call for part numbers	
209916 SATAjet 5000 B RP Std, 2.0	209916	SATAjet 3000 K RP Standard	RP Nozzle Sets
		92932 SATAjet 3000 K RP 0.8 RP	92494
		93336 SATAjet 3000 K RP 1.1 RP	92502
		93344 SATAjet 3000 K RP 1.3 RP	92510
		93351 SATAjet 3000 K RP 1.5 RP	92528
		93369 SATAjet 3000 K RP 1.7 RP	95422
		93377 SATAjet 3000 K RP 2.0 RP	95356

PART #	DESCRIPTION
163022	SATAjet 3000 K RP, 0.8 STN*
141994	SATAjet 3000 K RP 1.1 STN*
142265	SATAjet 3000 K RP 1.3 STN*
166421	SATAjet 3000 K RP, 1.5 STN*
196535	SATAjet 3000 K RP 1.7 STN*
SATAjet 3000 A	
SATAjet 3000 A HVLP Standard	
94441	SATAjet 3000 A HVLP, 0.8 STD
94458	SATAjet 3000 A HVLP, 1.0 STD
124602	SATAjet 3000 A HVLP, 1.2 STD
124594	SATAjet 3000 A HVLP, 1.6 STD
124545	SATAjet 3000 A HVLP, 2.0 STD
94441ST	SATAjet 3000 A HVLP, 0.8 ST
94458ST	SATAjet 3000 A HVLP, 1.0 ST
124602ST	SATAjet 3000 A HVLP, 1.2 ST
124594ST	SATAjet 3000 A HVLP, 1.6 ST
125545ST	SATAjet 3000 A HVLP, 2.0 ST
94490AC	SATAjet 3000 A HVLP, 0.8 CB
94508AC	SATAjet 3000 A HVLP, 1.0 CB
94526AC	SATAjet 3000 A HVLP, 1.2 CB
94544AC	SATAjet 3000 A HVLP, 1.6 CB
188276	SATAjet 3000 A HVLP, 1.6 CB
SATAjet 3000 A HVLP Waterborne	
156604	SATAjet 3000 A HVLP, 0.5 STD
94490	SATAjet 3000 A HVLP, 0.8 STD
94508	SATAjet 3000 A HVLP, 1.0 STD
124610	SATAjet 3000 A HVLP, 1.2 STD
124552	SATAjet 3000 A HVLP, 1.6 STD
124560	SATAjet 3000 A HVLP, 2.0 STD
94490ST	SATAjet 3000 A HVLP, 0.8 ST
94508ST	SATAjet 3000 A HVLP, 1.0 ST
124610ST	SATAjet 3000 A HVLP, 1.2 ST
124552ST	SATAjet 3000 A HVLP, 1.6 ST
124560ST	SATAjet 3000 A HVLP, 2.0 ST
SATAjet 3000 A RP Standard	
220376	SATAjet 3000 A RP, 0.5 STD
94417	SATAjet 3000 A RP, 0.8 STD
94425	SATAjet 3000 A RP, 1.1 STD
94433	SATAjet 3000 A RP, 1.3 STD
220384	SATAjet 3000 A RP, 1.5 STD
94453A	SATAjet 3000 A RP, 1.7 STD
220392	SATAjet 3000 A RP, 2.0 STD
168559	SATAjet 3000 A RP, 0.8 ST
174060	SATAjet 3000 A RP, 0.8 ST
94425ST	SATAjet 3000 A RP, 1.1 ST
196378	SATAjet 3000 A RP, 1.3 ST
94445AST	SATAjet 3000 A RP, 1.5 ST
94453AST	SATAjet 3000 A RP, 1.7 ST
182378	SATAjet 3000 A RP, 2.0 ST
SATAjet 3000 A RP Waterborne version	
165274	SATAjet 3000 A RP, 0.5 STD
94466	SATAjet 3000 A RP, 0.8 STD
94474	SATAjet 3000 A RP, 1.1 STD
94482	SATAjet 3000 A RP, 1.3 STD
143289	SATAjet 3000 A RP, 1.5 STD
94503A	SATAjet 3000 A RP, 1.7 STD
220400	SATAjet 3000 A RP, 2.0 STD
181008	SATAjet 3000 A RP, 0.8 ST
169011	SATAjet 3000 A RP, 1.1 ST
94482ST	SATAjet 3000 A RP, 1.3 ST
94494AST	SATAjet 3000 A RP, 1.5 ST
94503AST	SATAjet 3000 A RP, 1.7 ST
94520AST	SATAjet 3000 A RP, 2.0 ST
SATAjet 3000 ROB	
SATAjet 3000 ROB HVLP Standard	
220426	SATAjet 3000 ROB HVLP, 0.5 STD
94532	SATAjet 3000 ROB HVLP, 0.8 STD
94540	SATAjet 3000 ROB HVLP, 1.0 STD
124651	SATAjet 3000 ROB HVLP, 1.2 STD
180976	SATAjet 3000 ROB HVLP, 1.6 STD
94568R	SATAjet 3000 ROB HVLP, 2.0 STD
94532ST	SATAjet 3000 ROB HVLP, 0.8 ST
94540ST	SATAjet 3000 ROB HVLP, 1.0 ST
124651ST	SATAjet 3000 ROB HVLP, 1.2 ST
94556RST	SATAjet 3000 ROB HVLP, 1.6 ST
94568RST	SATAjet 3000 ROB HVLP, 2.0 ST
HVLP Nozzle Sets	
122916	0.5 nozzle STD
94367	
94375	
129577	
129700	
129718	
129916ST	0.5 nozzle ST
94367ST	
94375ST	
129577ST	
129700ST	
129718ST	
96760A	
96768A	
96776	
96784	
96792	
129924	
94326	
94334	
94342	
94359	
94369A	
131052	
168583	
216887	
171710	
94342ST	
94359ST	
94369AST	
94377AST	
129940	
94151	
94169	
126433	
124206	
124214	
139659	0.5 nozzle ST
139667	
94169ST	
138016	
140814	
140822	

PART #	DESCRIPTION
SATAjet 3000 ROB HVLP Waterborne	
220459	SATAjet 3000 ROB HVLP, 0.5 STD
94573	SATAjet 3000 ROB HVLP, 0.8 STD
94581	SATAjet 3000 ROB HVLP, 1.0 STD
124644	SATAjet 3000 ROB HVLP, 1.2 STD
129395	SATAjet 3000 ROB HVLP, 1.6 STD
129403	SATAjet 3000 ROB HVLP, 2.0 STD
94573ST	SATAjet 3000 ROB HVLP, 0.8 ST
94581ST	SATAjet 3000 ROB HVLP, 1.0 ST
124644ST	SATAjet 3000 ROB HVLP, 1.2 ST
129395ST	SATAjet 3000 ROB HVLP, 1.6 ST
129403ST	SATAjet 3000 ROB HVLP, 2.0 ST
SATAjet 3000 ROB RP Standard	
163931	SATAjet 3000 ROB RP, 0.5 STD
94516	SATAjet 3000 ROB RP, 0.8 STD
94524	SATAjet 3000 ROB RP, 1.1 STD
135467	SATAjet 3000 ROB RP, 1.3 STD
220418	SATAjet 3000 ROB RP, 1.5 STD
94559R	SATAjet 3000 ROB RP, 1.7 STD
94570R	SATAjet 3000 ROB RP, 2.0 STD
94516ST	SATAjet 3000 ROB RP, 0.8 ST
94524ST	SATAjet 3000 ROB RP, 1.1 ST
137893	SATAjet 3000 ROB RP, 1.3 ST
94550RST	SATAjet 3000 ROB RP, 1.5 ST
94559RST	SATAjet 3000 ROB RP, 1.7 ST
94570RST	SATAjet 3000 ROB RP, 2.0 ST
RP Nozzle Sets	
129932	
94136	
94144	
128322	
135459	
94170R	
144253	
216887	
171710	
94342ST	
94359ST	
94369AST	
94377AST	
SATAjet 3000 ROB RP Waterborne version	
220434	SATAjet 3000 ROB RP, 0.5 STD
94557	SATAjet 3000 ROB RP, 0.8 STD
94565	SATAjet 3000 ROB RP, 1.1 STD
130476	SATAjet 3000 ROB RP, 1.3 STD
220442	SATAjet 3000 ROB RP, 1.5 STD
94593R	SATAjet 3000 ROB RP, 1.7 STD
94603R	SATAjet 3000 ROB RP, 2.0 STD
146928	SATAjet 3000 ROB RP, 0.8 ST
220467	SATAjet 3000 ROB RP, 1.1 ST
220475	SATAjet 3000 ROB RP, 1.3 ST
94585RST	SATAjet 3000 ROB RP, 1.5 ST
94593RST	SATAjet 3000 ROB RP, 1.7 ST
94603RST	SATAjet 3000 ROB RP, 2.0 ST
SATAjet 3000 ROB RP SS w/material flow control	
204883	SATAjet 3000 ROB RP, 0.8 STD
220491	SATAjet 3000 ROB RP, 1.1 STD
220509	SATAjet 3000 ROB RP, 1.3 STD
SATAjet 3000 ROB RP SS w/material circulation	
220483	SATAjet 3000 ROB RP, 0.5 STD
182063	SATAjet 3000 ROB RP, 0.8 STD
97857	SATAjet 3000 ROB RP, 1.1 STD
182071	SATAjet 3000 ROB RP, 1.3 STD
SATAjet 3000 ROB RP SS w/material circulation & flow control	
205401	SATAjet 3000 ROB RP, 0.8 STD
220541	SATAjet 3000 ROB RP, 1.1 STD
SATAjet 1000 A RP	
SATAjet 1000 A RP STANDARD	
195198	SATAjet 1000 A RP, 0.5 STD
164129	SATAjet 1000 A RP, 0.8 STD
164137	SATAjet 1000 A RP, 1.1 STD
164145	SATAjet 1000 A RP, 1.3 STD
164152	SATAjet 1000 A RP, 1.5 STD
164160	SATAjet 1000 A RP, 2.0 STD
-	
RP Nozzle Sets	
164228	
164236	
164244	
164251	
164269	
185082	0.3 nozzle
SATAjet 1000 A RP STAINLESS STEEL	
164178	SATAjet 1000 A RP, 0.8 STD
164186	SATAjet 1000 A RP, 1.1 STD
164194	SATAjet 1000 A RP, 1.3 STD
164202	SATAjet 1000 A RP, 1.5 STD
164210	SATAjet 1000 A RP, 2.0 STD
HVLP Nozzle Sets	
139253	
139261	
139279	
191387	1.4 nozzle
139287	
139295	
141762	
141770	
141804	
141812	
141838	
SATAjet 1000 K HVLP	
139196	SATAjet 1000 K HVLP, 0.8
139204	SATAjet 1000 K HVLP, 1.0
139212	SATAjet 1000 K HVLP, 1.2
-	
139220	SATAjet 1000 K HVLP, 1.6
139238	SATAjet 1000 K HVLP, 2.0
141960	SATAjet 1000 K HVLP, 0.8, STN*
141978	SATAjet 1000 K HVLP, 1.0, STN*
141986	SATAjet 1000 K HVLP, 1.2, STN*
142000	SATAjet 1000 K HVLP, 1.6, STN*
142018	SATAjet 1000 K HVLP, 2.0, STN*

SATAjet 1000 K RP

132092	SATAjet 1000 K RP, 0.8	132159
132100	SATAjet 1000 K RP, 1.1	132167
132118	SATAjet 1000 K RP, 1.3	132175
132126	SATAjet 1000 K RP, 1.5	132183
132134	SATAjet 1000 K RP, 1.7	132191
132142	SATAjet 1000 K RP, 2.0	132209
153486	SATAjet 1000 K RP, 2.5	153528
153494	SATAjet 1000 K RP, 3.0	153536
154336	SATAjet 1000 K RP, 4.0	154377
-		154385 5.0 nozzle
161232	SATAjet 1000 K RP, 1.6 D	159707
141903	SATAjet 1000 K RP, 0.8, STN*	141648
141911	SATAjet 1000 K RP, 1.1, STN*	141655
141929	SATAjet 1000 K RP, 1.3, STN*	141663
141937	SATAjet 1000 K RP, 1.5, STN*	141689
141945	SATAjet 1000 K RP, 1.7, STN*	141697
141952	SATAjet 1000 K RP, 2.0, STN*	141705
-		159442 2.5 nozzle STN*

SATAjet 1000 H**SATAjet 1000 H RP**

161034	SATAjet 1000 H RP, 1.3	161059
151266	SATAjet 1000 H RP, 1.6	151613
151274	SATAjet 1000 H RP, 1.8	151621
153353	SATAjet 1000 H RP, 2.0	153379

SATAminijet 4400 B**SATAminijet 4400 B HVLP**

204164	Minijet 4400 B HVLP, 0.3, (2x) 0.3l RPS	201194
204172	Minijet 4400 B HVLP, 0.5, (2x) 0.3l RPS	201202
204180	Minijet 4400 B HVLP, 0.8, (2x) 0.3l RPS	201210
204198	Minijet 4400 B HVLP, 1.0, (2x) 0.3l RPS	201228
204206	Minijet 4400 B HVLP, 1.1, (2x) 0.3l RPS	201236
198168	Minijet 4400 B HVLP, 0.8SR, (2x) 0.3l RPS	201244
198176	Minijet 4400 B HVLP, 1.0SR, (2x) 0.3l RPS	201251
198184	Minijet 4400 B HVLP, 1.2SR, (2x) 0.3l RPS	201269
198192	Minijet 4400 B HVLP, 1.4SR, (2x) 0.3l RPS	201277
198382	Minijet 4400 B Design Set, (specify nozzle size)	

SATAminijet 4400 B RP

202382	Minijet 4400 B RP, 0.5, (2x) 0.3l RPS	202408
198374	Minijet 4400 B RP, 1.4, (2x) 0.3l RPS	201319
204156	Minijet 4400 B RP, 1.6, (2x) 0.3l RPS	201327
1114149	Minijet 4400 B RP, 0.3SR, (2x) 0.3l RPS	1114131
202390	Minijet 4400 B RP, 0.8SR, (2x) 0.3l RPS	201285
198358	Minijet 4400 B RP, 1.0SR, (2x) 0.3l RPS	201293
198366	Minijet 4400 B RP, 1.2SR, (2x) 0.3l RPS	201301
1065136	Minijet 4400 B RP, 1.3SR, (2x) 0.3l RPS	1065037

SATAminijet 1000 K**SATAminijet 1000 K HVLP**

190280	SATAminijet 1000K HVLP, 0.3	190348
190298	SATAminijet 1000K HVLP, 0.5	190355
190306	SATAminijet 1000K HVLP, 0.8	190363
190314	SATAminijet 1000K HVLP, 1.0	190371
190322	SATAminijet 1000K HVLP, 1.2	190389

SATAminijet 1000 K RP

187450	SATAminijet 1000K RP, 0.3	187625
187468	SATAminijet 1000K RP, 0.5	187633
187476	SATAminijet 1000K RP, 0.8	187641
187484	SATAminijet 1000K RP, 1.0	187658
187492	SATAminijet 1000K RP, 1.2	187666
197152	SATAminijet 1000K RP, 1.4	197160
187419	Paint pipe, cpl. G1/4 - G1/4	
199018	Paint pipe, cpl. G1/4 - G3/8	

SATAminijet 1000 H

191502	SATAminijet 1000 H HVLP, 1.4	191494
Inquire	SATAminijet 1000 H RP, 1.4ST	202036
187682	SATAminijet 1000 H RP, 1.4	187674
188318	RPS adapter No. 17	

188482	RPS Siphon cup kit for 0.3l, set of 25	
188516	RPS Siphon cup kit for 0.3l, set of 50	
188490	RPS Siphon cup kit for 0.6l, set of 25	
188524	RPS Siphon cup kit for 0.6l, set of 50	
188508	RPS Siphon cup kit for 0.9l, set of 25	
188532	RPS Siphon cup kit for 0.9l, set of 50	

SATAminijet 1000 A RP/HVLP**SATAminijet 1000 A HVLP**

170746	SATAminijet 1000 A HVLP, 0.3	171009
170753	SATAminijet 1000 A HVLP, 0.5	171017
170761	SATAminijet 1000 A HVLP, 0.8	171025
170779	SATAminijet 1000 A HVLP, 1.0	171033
194902	SATAminijet 1000 A HVLP, 1.2	203711

RP Nozzle Sets

132159	
132167	
132175	
132183	
132191	
132209	
153528	
153536	
154377	
154385	5.0 nozzle
159707	
141648	
141655	
141663	
141689	
141697	
141705	
159442	2.5 nozzle STN*

SATAminijet 1000 A RP

220517	SATAminijet 1000 A RP, 0.3
203596	SATAminijet 1000 A RP, 0.5
203604	SATAminijet 1000 A RP, 0.8
220525	SATAminijet 1000 A RP, 1.0
220533	SATAminijet 1000 A RP, 1.2

RP Nozzle Sets

203661	
203679	
203687	
185678	
185686	
185694	1.4 nozzle SS

SATAminijet 1000 ROB RP/HVLP**SATAminijet 1000 ROB HVLP SS**

220590	SATAminijet 1000 ROB HVLP, 0.3
203638	SATAminijet 1000 ROB HVLP, 0.5
203646	SATAminijet 1000 ROB HVLP, 0.8
203653	SATAminijet 1000 ROB HVLP, 1.0
220608	SATAminijet 1000 ROB HVLP, 1.2

HVLP Nozzle Sets

203760	
203778	
203786	
185678	
185686	
185694	1.4 nozzle SS

SATAminijet 1000 A RP SS**SATAminijet 1000 A RP HVLP SS**

220624	SATAminijet 1000 ROB RP, 0.3
203612	SATAminijet 1000 ROB RP, 0.5
203620	SATAminijet 1000 ROB RP, 0.8
220632	SATAminijet 1000 ROB RP, 1.0
220640	SATAminijet 1000 ROB RP, 1.2

RP Nozzle Sets

203729	
195206	
203737	
203745	
203752	

SATAminijet 1000 A RP SS w/o material circulation**SATAminijet 1000 A S HVLP**

149021	SATAminijet 1000 A S HVLP, 0.3
149039	SATAminijet 1000 A S HVLP, 0.5
149047	SATAminijet 1000 A S HVLP, 0.8
149054	SATAminijet 1000 A S HVLP, 1.0

HVLP Nozzle Sets

149476	
149484	
149492	
149500	

Vario Top

72678	Vario Top Pump, S/S, Wall mounted, w/o run or hoses
72694	Vario Top Pump, S/S, on trolley, w/o gun or hoses
81406	Vario Top Pump, S/S, Stand, one gun connection
61507	Vario Top Pump, Std, Wall mounted, w/o gun and hoses
81661	Vario Top Pump, Std, Stand, w/o gun and hoses
61515	Vario Top Pump, Std, on trolley, w/o gun and hoses

SATA adam 2

160697	SATA adam 2, display only, fits on all adam 2 & adam 2 U docks
1031658	SATA adam 2 black, display only, fits on all adam 2 & 2 U docks
160739	Battery set
160788	SATA adam 2, dock only
160796	SATA adam 2, dock, 2 pack
160853	SATA adam 2, dock, psi display, full size guns except 5000 series
160861	SATA adam 2, mini, dock only
160887	SATA adam 2,

SATA Filter 500 Series

1101667	SATA 500 pressure reducer w/gauge 0-145 psi
1101659	SATA Filter 524 Single-stage Sinter Filter
1101641	SATA Filter 524L Single-stage Line sinter Filter
1101005	SATA Filter 564 add-on kit activated charcoal Filter
1100990	SATA Filter 544 Double-stage sinter/fine Filter
1124932	SATA Filter 544L Double-stage Line Filter w/o pressure reducer
1099953	SATA Filter 584 Triple-stage sinter/fine/activated charcoal Filter
1101716	SATA Filter 584L Triple-stage Line Filter w/o pressure reducer
1101625	SATA filter 584 w/carrying support triple-stage Filter
28076	SATA Stand only
22160	SATA Sinter filter for all SATA filter series
1097999	SATA fine filter cartridge for filter 500
1098004	SATA activated charcoal cartridge for filter 500
1098054	Service kit for filter 500 w/fine filter and activated charcoal cartridge

Respirators

SATA air vision 5000

1005596	vision 5000 hood unit only
1005603	vision 5000 hood, belt, SATA air regulator
214718	vision 5000 hood, belt, SATA air carbon regulator
1000223	SATA air regulator belt
1030668	SATA air regulator belt Plus
1000182	SATA air carbon regulator
1000207	SATA air regulator
1006990	SATA air cooler, accessory
1007021	SATA air warmer, accessory
1000158	SATA air warmer carbon for air carbon regulator
1115189	Activated charcoal filter replacement w/2 caps for air carbon reg.

SATA air vision 2000

51854	vision 2000 hood unit only
36384	vision 2000 with charcoal filter belt unit
37200	SATA activated charcoal belt unit only
60707	vision 2000 with industrial belt valve unit
61002	SATA industrial belt unit only
60541	Gray head/chest cape only

HKU Barrel Pump Unit

14555	HKU 60L Pump, w/gun/hoses/wands
34389	HKU 200L Pump, w/gun/hoses/wands

Dan-Am High Pressure Pumps

call	2710 Dan-Am medium pressure pump
call	2733 Dan-Am high pressure pump

Quality Dual hoses for pressure fed systems

3/8" air, 1/4" material, Other sizes available

675206	6'	675225	25'
675215	15'	675250	50'



Spray gun holder

For wall or table mounting. Useful tool or refilling SATA RPS disposable cups.
Order No. 40188



SATA HRS™

Pressurized cup gun for undercoating and wax injection. Supplied with three types of wands for different cavities.
Order No. 9795



SATA Material coupling

with plug-in nipple G 3/8 for quick spray gun connection and disconnection.
Part No. 91140
Part No. 91157 (with 60 mesh sieve)

Your SATA dealer



SATA USA Inc.

One Sata Drive • PO Box 46
Spring Valley, MN 55975
Phone: 800-533-8016
E-mail: satajet@satausa.com
www.satausa.com